

The second se



Compliant SDS for GHS: HazCom 2012 / United States; WHMIS 2015 / Canada

SAFETY DATA SHEET

AMSOIL Premium Protection Synthetic SAE 20W-50 Motor Oil

| Section 1. Identification 2 Terrsion 2 Terrs | | 11/15/2016 8 | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|-----------------|--|--|
| GHS product identifier Code | : AMSOIL Premium Protection Synthetic SAE 20W-50 Mo : ARO | tor Oil | | |
| Product type | : Liquid. | | | |
| Identified uses | : Lubricating Oil. Not to be misted. | | | |
| Manufacturer | : AMSOIL INC. One AMSOIL Center Superior, WI 54880 Tel: +1 715-392-7101 | | | |
| Initial Supplier (Canada) | : AMSOIL INC. Bordner, Ladner, Gervais Scotia Plaza, 40 King St W Toronto, ON, Canada M5H 3Y4 Tel: +1 416-367-6547 | | | |
| Emergency telephone number (with hours of operation) | : CHEMTREC: Within USA and Canada: 1-800-424-9300; Outside USA and Canada: +1 703-741-5970 (collect calls (24/7) | | | |

Section 2. Hazards identification

| OSHA/HCS status | This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). | |
|---------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|--|
| Classification of the substance or mixture | : AQUATIC HAZARD (ACUTE) - Category 3 AQUATIC HAZARD (LONG-TERM) - Category 3 | |
| GHS label elements | | |
| Signal word | : No signal word. | |
| Hazard statements | : Harmful to aquatic life with long lasting effects. | |
| Precautionary statements | | |
| Prevention | : Avoid release to the environment. | |
| Response | : Not applicable. | |
| Storage | : Not applicable. | |
| Disposal | : Dispose of contents and container in accordance with all local, regional, national and international regulations. | |
| Hazards not otherwise classified (HNOC) | | |
| Physical hazards not otherwise classified (PHNOC) | : None known. | |

SAVE UP TO 25%

AMSOIL Premium Protection Synthetic SAE 20W-50 Motor Oil

| Health hazards not |
|----------------------|
| otherwise classified |
| (HHNOC) |

: None known.

Section 3. Composition/information on ingredients

| Substance/mixture | : Mixture |
|-------------------|------------------|
| Other means of | : Not available. |
| identification | |

| CAS number/other iden | <u>itifiers</u> | | |
|-------------------------------------------------------------------------------------------|-------------------|--------------------------------------|-----------------------------------------------------|
| CAS number | : Not applicable. | | |
| Product code | : ARO | | |
| Ingredient name | | % | CAS number |
| bis(Nonylphenyl)amine Zinc Dialkyldithiophosphate Diphenylamine Alkylated phenol | | 1 - 5 1 - 5 0.1 - 1 0 - 0.1 | 36878-20-3 84605-29-8 122-39-4 121158-58-5 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

| Description of necessary first aid measures | | |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Eye contact | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention if irritation occurs. | |
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. | |
| Skin contact | : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. | |

2/11

: 11/15/2016

Date of issue

SAVE UP TO 25%

AMSOIL Premium Protection Synthetic SAE 20W-50 Motor Oil

| Ingestion | : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Most important symptoms/effects, acute and delayed

| Potential acute health effe | <u>cts</u> |
|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye contact | : No known significant effects or critical hazards. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| Over-exposure signs/symp | <u>ptoms</u> |
| Eye contact | : No known significant effects or critical hazards. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| Indication of immediate med | dical attention and special treatment needed, if necessary |
| Notes to physician | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| Indication of immediate med Notes to physician Specific treatments | dical attention and special treatment needed, if necessary In case of inhalation of decomposition products in a fire, symptoms may be delayed The exposed person may need to be kept under medical surveillance for 48 hours. No specific treatment. No action shall be taken involving any personal risk or without suitable training. It m |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media | |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| Specific hazards arising from the chemical | : In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. |

SAVE UP TO 25%

AMSOIL Premium Protection Synthetic SAE 20W-50 Motor Oil

| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

| Personal precautions, protecti | ive equipment and emergency procedures |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| For non-emergency personnel | : Put on appropriate personal protective equipment. |
| For emergency responders | : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| | : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. |
| Methods and materials for cor | ntainment and cleaning up |
| Spill | : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

| Precautions for safe handling | |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Protective measures | : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Avoid contact with used product. Do not reuse container. |

Date of issue

: 11/15/2016

SAVE UP TO 25%

AMSOIL Premium Protection Synthetic SAE 20W-50 Motor Oil

| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|--------------------------------------------------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Under conditions which may generate mists, the following additional exposure limits are recommended: ACGIH TLV TWA: 5 mg/m³; STEL: 10 mg/m³.

United States

| Ingredient name | Exposure limits |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Diphenylamine | ACGIH TLV (United States, 3/2015). TWA: 10 mg/m ³ 8 hours. NIOSH REL (United States, 10/2013). TWA: 10 mg/m ³ 10 hours. |

Canada

Occupational exposure limits

None.

| Appropriate engineering controls | : Good general ventilation should be sufficient to control worker exposure to airborne contaminants. | 9 |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. | e |

Individual protection measures

| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |
| Skin protection | |

SAVE UP TO 25%

AMSOIL Premium Protection Synthetic SAE 20W-50 Motor Oil

| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

Section 9. Physical and chemical properties

| <u>Appearance</u> | | |
|----------------------------------------------|---|----------------------------------------------------------------------------------------|
| Physical state | : | Liquid. |
| Color | 1 | Brown. |
| Odor | 1 | Mild hydrocarbon. |
| Odor threshold | 1 | Not available. |
| рН | 1 | Not available. |
| Melting point | 1 | -35°C (-31°F) |
| Boiling point | 1 | Not available. |
| Flash point | 4 | Open cup: 230°C (446°F) [Cleveland.] |
| Evaporation rate | 4 | Not available. |
| Flammability (solid, gas) | 4 | Not available. |
| Lower and upper explosive (flammable) limits | : | Not available. |
| Vapor pressure | : | Not available. |
| Vapor density | 1 | Not available. |
| Relative density | 1 | 0.8708 |
| Solubility | 1 | Not available. |
| Partition coefficient: n- octanol/water | : | Not available. |
| Auto-ignition temperature | 1 | Not available. |
| Decomposition temperature | 1 | Not available. |
| Viscosity | : | Kinematic: 0.195 cm²/s (19.5 cSt) (100°C) Kinematic: 1.603 cm²/s (160.3 cSt) (40°C) |
| Volatility | : | Not available. |

 6/11
 Date of issue
 : 11/15/2016

 Order by Phone 1-800-956-5695 - Give Operator Reference #30077762

SAVE UP TO 25%

AMSOIL Premium Protection Synthetic SAE 20W-50 Motor Oil

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|--------------------------------------------------------------------------------------------------------|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : No specific data. |
| Incompatible materials | : Reactive or incompatible with the following materials: oxidizing materials. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|----------------------------------------------|---------------------------------------|---------|---------------------------------------|----------|
| Zinc Dialkyldithiophosphate Diphenylamine | LD50 Oral LD50 Dermal LD50 Oral | Rabbit | 3.2 g/kg >5000 mg/kg 1120 mg/kg | - - |

Irritation/Corrosion

There is no data available.

Sensitization

There is no data available.

Carcinogenicity

There is no data available.

Specific target organ toxicity (single exposure)

There is no data available.

Specific target organ toxicity (repeated exposure)

| Name | Category | Target organs |
|---------------|------------|----------------|
| Diphenylamine | Category 2 | Not determined |

Aspiration hazard

There is no data available.

Information on the likely

: Dermal contact. Eye contact. Inhalation. Ingestion.

routes of exposure

Potential acute health effects

: 11/15/2016 Date of issue

SAVE UP TO 25%

AMSOIL Premium Protection Synthetic SAE 20W-50 Motor Oil

| Eye contact | : | No known significant effects or critical hazards. |
|-------------------------------|--------------|------------------------------------------------------------|
| Inhalation | 1 | No known significant effects or critical hazards. |
| Skin contact | 1 | No known significant effects or critical hazards. |
| Ingestion | : | No known significant effects or critical hazards. |
| | | |
| Symptoms related to the phy | sic | al, chemical and toxicological characteristics |
| Eye contact | 1 | No known significant effects or critical hazards. |
| Inhalation | : | No known significant effects or critical hazards. |
| Skin contact | 1 | No known significant effects or critical hazards. |
| Ingestion | : | No known significant effects or critical hazards. |
| | | |
| Delayed and immediate effect | ts | and also chronic effects from short and long term exposure |
| <u>Short term exposure</u> | | |
| Potential immediate | 1 | No known significant effects or critical hazards. |
| effects | | |
| Potential delayed effects | ÷ | No known significant effects or critical hazards. |
| <u>Long term exposure</u> | | |
| Potential immediate | ÷ | No known significant effects or critical hazards. |
| effects | | |
| Potential delayed effects | | No known significant effects or critical hazards. |
| Potential chronic health effe | <u> + Ct</u> | <u>S</u> |
| General | 4 | No known significant effects or critical hazards. |
| Carcinogenicity | 4 | No known significant effects or critical hazards. |
| Mutagenicity | 4 | No known significant effects or critical hazards. |
| Teratogenicity | 4 | No known significant effects or critical hazards. |
| Developmental effects | 1 | No known significant effects or critical hazards. |
| Fertility effects | 1 | No known significant effects or critical hazards. |
| | | |

Numerical measures of toxicity

Acute toxicity estimates

There is no data available.

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure | |
|-------------------------|----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|----------------------------------|--|
| Diphenylamine | Acute EC50 2.17 mg/L Fresh water | Algae - Pseudokirchneriella subcapitata - Exponential growth phase | 72 hours | |
| | Acute EC50 0.31 mg/L Fresh water Acute LC50 2.2 ppm Fresh water Chronic NOEC 0.37 mg/L Fresh water | Daphnia - Daphnia magna Fish - Oncorhynchus mykiss Algae - Pseudokirchneriella subcapitata - Exponential growth phase | 48 hours 96 hours 72 hours | |

Date of issue : 11/15/2016

ARO

AMSOIL Premium Protection Synthetic SAE 20W-50 Motor Oil

Persistence and degradability

There is no data available.

Bioaccumulative potential

| Product/ingredient name | LogP _{ow} | BCF | Potential | | |
|-------------------------------------------------------------------------------------------|------------------------------------|-----------------------------|----------------------------|--|--|
| bis(Nonylphenyl)amine Zinc Dialkyldithiophosphate Diphenylamine Alkylated phenol | 3.64 to 7.02 0.56 3.5 6.1 | 1730 - 151.36 1601 | high Iow Iow high | | |
| Mobility in soil | | | | | |
| Soil/water partition coefficient (Koc) | : There is no data available. | | | | |
| Mobility | : There is no data available. | | | | |
| Other adverse effects | : No known significant effects | or critical hazards. | | | |

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Date of issue

: 11/15/2016

Section 14. Transport information

| | DOT | TDG | IMDG | ΙΑΤΑ |
|-------------------------------|----------------|----------------|----------------|----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - | - |
| Transport hazard class(es) | - | - | - | - |
| Packing group | - | - | r | - |
| | | | | |

SAVE UP TO 25%

AMSOIL Premium Protection Synthetic SAE 20W-50 Motor Oil

AERG : Not applicable

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL and the IBC Code

Section 15. Regulatory information

| J.S. Federal regulations | : United States inver Clean Water Act (C | | | - | isted or exemp | ted. |
|---------------------------------------------------------------------|---------------------------------------------|-------------------|----------------------------------|-------------------|------------------------------------------|------------------------------------------|
| Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) | : Not listed | | | | | |
| Clean Air Act Section 602 Class I Substances | : Not listed | | | | | |
| Clean Air Act Section 602 Class II Substances | : Not listed | | | | | |
| DEA List I Chemicals (Precursor Chemicals) | : Not listed | | | | | |
| DEA List II Chemicals (Essential Chemicals) | : Not listed | | | | | |
| <u>SARA 302/304</u> | | | | | | |
| Composition/information | <u>on ingredients</u> | | | | | |
| No products were found. | | | | | | |
| SARA 304 RQ | : Not applicable. | | | | | |
| <u>SARA 311/312</u> | | | | | | |
| Classification | : Not applicable. | | | | | |
| Composition/information | <u>on ingredients</u> | | | | | |
| Name | | Fire hazard | Sudden release of pressure | Reactive | Immediate (acute) health hazard | Delayed (chronic) health hazard |
| Zinc Dialkyldithiophosphate Diphenylamine Alkylated phenol | | No. No. No. | No. No. No. | No. No. No. | Yes. Yes. Yes. | No. Yes. Yes. |

SARA 313

Date of issue : 11/15/2016

SAVE UP TO 25%

AMSOIL Premium Protection Synthetic SAE 20W-50 Motor Oil

| | Product name | CAS number | % |
|---------------------------------|-----------------------------|------------|-------|
| Form R - Reporting requirements | Zinc Dialkyldithiophosphate | 84605-29-8 | 1 - 5 |
| Supplier notification | Zinc Dialkyldithiophosphate | 84605-29-8 | 1 - 5 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

| State regulations | |
|----------------------------|--------------------------------------------------------------------|
| Massachusetts | : None of the components are listed. |
| New York | : None of the components are listed. |
| New Jersey | : The following components are listed: Zinc Dialkyldithiophosphate |
| Pennsylvania | : None of the components are listed. |
| <u>California Prop. 65</u> | |
| No products were found. | |
| <u>Canada</u> | |
| <u>Canadian lists</u> | |
| Canadian NPRI | : The following components are listed: Zinc Dialkyldithiophosphate |
| CEPA Toxic substances | : None of the components are listed. |

Canada inventory

: All components are listed or exempted.

Section 16. Other information

History

| Date of issue mm/dd/yyyy | : 11/15/2016 |
|--------------------------|--------------|
| Date of previous issue | : 05/30/2016 |
| Version | : 8 |
| Prepared by | : AMSOIL INC |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

11/11

Date of issue

: 11/15/2016