BUY ONLINE

FREE CATALOG

SDIA



Compliant SDS for GHS: HazCom 2012 / United States; WHMIS 2015 / Canada

SAFETY DATA SHEET

High Viscosity Lithium Complex Synthetic Grease

Section 1. Identification Date Version			: 08/15/2015 : 4
GHS product identifier	: High Viscosity Lithium Complex Synthetic Grease		
Code	: GVC		
Product type	: Liquid.		
Identified uses	: Lubricating Grease.		
Manufacturer	: AMSOIL INC. One AMSOIL Center Superior, WI 54880 Tel: +1 715-392-7101		
Initial Supplier (Canada)	: AMSOIL INC. Bordner, Ladner, Gervais Scotia Plaza, 40 King St W Toronto, ON, Canada M5H 3Y4 Tel: +1 416-367-6547		
Emergency telephone number (with hours of operation)	: CHEMTREC: Within USA and Canada: 1-800-424-9300; Outside USA and Canada: +1 703-741-5970 (collect call (24/7)		

Section 2. Hazards identification

OSHA/HCS status Classification of the substance or mixture	 This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
GHS label elements Hazard pictograms	
Signal word	: Warning
Hazard statements	: H319 - Causes serious eye irritation. H315 - Causes skin irritation.
Precautionary statements	
Prevention	 P280 - Wear protective gloves. Wear eye or face protection. P264 - Wash hands thoroughly after handling.

Date of issue

: 08/15/2015

SAVE UP TO 25%

High Viscosity Lithium Complex Synthetic Grease

Response	 P302 + P352 + P362+P364 - IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. P332 + P313 - If skin irritation occurs: Get medical attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazards not otherwise cla	ssified (HNOC)
Physical hazards not otherwise classified (PHNOC)	: None known.
Health hazards not otherwise classified (HHNOC)	: None known.

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of identification	: Not available.

CAS number/other identifiers

CAS number	: Not applicable.
Product code	: GVC

Ingredient name	%	CAS number
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)	30 - 60	9003-29-6
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	1 - 5	68649-42-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necess	sary first aid measures
Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Maintain an open airway. Get medical attention if symptoms occur.

SAVE UP TO 25%

High Viscosity Lithium Complex Synthetic Grease

Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 20 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
Most important symptoms/	effec	ts, acute and delayed
Potential acute health effe	<u>cts</u>	
Eye contact	:	Causes serious eye irritation.
Inhalation	1	No known significant effects or critical hazards.
Skin contact	1	Causes skin irritation.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/sym	otom	I <u>S</u>
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	No known significant effects or critical hazards.
Skin contact	-	Adverse symptoms may include the following: irritation redness
Ingestion	:	No known significant effects or critical hazards.
Indication of immediate me	dica	attention and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	1	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.

SAVE UP TO 25%

High Viscosity Lithium Complex Synthetic Grease

Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	: No special protection is required.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Spill: Stop leak if without risk. Move containers from spill area. Approach release from
upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash
spillages into an effluent treatment plant or proceed as follows. Contain and collect
spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or
diatomaceous earth and place in container for disposal according to local regulations
(see Section 13). Dispose via a licensed waste disposal contractor. Contaminated
absorbent material may pose the same hazard as the spilled product. Note: see Section
1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Avoid contact with used product. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

4/11

SAVE UP TO 25%

: 08/15/2015

Date of issue

Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Under conditions which may generate mists, the following exposure limits are recommended: ACGIH TLV TWA: 5 mg/m³; STEL: 10 mg/m³.

United States

None known.

Canada

None.

Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure hey comply with the requirements of environmental protection legislation.

Individual protection measures

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SAVE UP TO 25%

High Viscosity Lithium Complex Synthetic Grease

Section 9. Physical and chemical properties

<u>Appearance</u>		
Physical state	: Semi-solid.	
Color	: Amber.	
Odor	: Mild hydrocarbon.	
Odor threshold	: Not available.	
рН	: Not available.	
Melting point	: 260°C (500°F)	
Boiling point	: 371.11°C (700°F)	
Flash point	: Closed cup: 248.89°C (480°F) [Pensky-Marter	ns.]
Evaporation rate	: Not available.	
Flammability (solid, gas)	: Not available.	
Lower and upper explosive (flammable) limits	: Not available.	
Vapor pressure	: Not available.	
Vapor density	: Not available.	
Relative density	: 0.89	
Solubility	: Not available.	
Partition coefficient: n- octanol/water	: Not available.	
Auto-ignition temperature	: Not available.	
Decomposition temperature	: Not available.	
Viscosity	: Not available.	
Volatility	: Not available.	
VOC (w/w)	: 92 % (w/w)	

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Date of issue : 08/15/2015

GVC

Order by Phone 1-800-956-5695 - Give Operator Reference #30077762

High Viscosity Lithium Complex Synthetic Grease

Section 11. Toxicological information

Acute toxicity					
There is no data available.					
Irritation/Corrosion					
Product/ingredient name	Result	Species	Score	Exposure	Observation
Zinc Alkyldithiophosphate	Eyes - Irritant	Rabbit	-	-	-
Sensitization					
There is no data available.					
Carcinogenicity					
There is no data available.					
Specific target organ toxici	<u>ty (single exposure)</u>				
There is no data available.					
Specific target organ toxici	ty (repeated exposure)				
There is no data available.					
Aspiration hazard					
Name			Result		
Butene, homopolymer (products der	ived from either/or But-1-ene/But-1-ene/But-1-ene/But-1-ene/But-1-ene/But-1-ene/But-1-ene/But-1-ene/But-1-ene/Bu	·	ASPIRATION	I HAZARD - Category 1	
Butene, homopolymer (products der nformation on the likely outes of exposure Potential acute health effect	: Dermal contact. Eye	contact. Inhalation	ASPIRATION	I HAZARD - Category 1	
Butene, homopolymer (products der nformation on the likely outes of exposure Potential acute health effect Eye contact	: Dermal contact. Eye <u>s</u> : Causes serious eye	contact. Inhalation	ASPIRATION	I HAZARD - Category 1	
Butene, homopolymer (products der nformation on the likely outes of exposure Potential acute health effect Eye contact Inhalation	: Dermal contact. Eye s : Causes serious eye : No known significan	contact. Inhalation irritation. t effects or critical h	ASPIRATION	I HAZARD - Category 1	
Butene, homopolymer (products der nformation on the likely outes of exposure Potential acute health effect Eye contact Inhalation Skin contact	 Dermal contact. Eye S Causes serious eye No known significan Causes skin irritation 	contact. Inhalation irritation. t effects or critical h	ASPIRATION	I HAZARD - Category 1	
Butene, homopolymer (products der nformation on the likely outes of exposure Potential acute health effect Eye contact Inhalation	: Dermal contact. Eye s : Causes serious eye : No known significan	contact. Inhalation irritation. t effects or critical h	ASPIRATION	I HAZARD - Category 1	
Butene, homopolymer (products der nformation on the likely outes of exposure Potential acute health effect Eye contact Inhalation Skin contact	 Dermal contact. Eye Causes serious eye No known significan Causes skin irritation No known significan 	irritation. t effects or critical h n. t effects or critical h	ASPIRATION . Ingestion. nazards.	I HAZARD - Category 1	
Butene, homopolymer (products der nformation on the likely outes of exposure Potential acute health effect Eye contact Inhalation Skin contact Ingestion	 Dermal contact. Eye Causes serious eye No known significan Causes skin irritation No known significan No known significan Adverse symptoms 	contact. Inhalation irritation. t effects or critical h n. t effects or critical h kicological charac	ASPIRATION . Ingestion. nazards. nazards. teristics	I HAZARD - Category 1	
Butene, homopolymer (products der nformation on the likely outes of exposure Potential acute health effect Eye contact Inhalation Skin contact Ingestion Symptoms related to the physical Ingestion	 Dermal contact. Eye Causes serious eye No known significan Causes skin irritation No known significan No known significan Adverse symptoms in pain or irritation 	contact. Inhalation irritation. t effects or critical h n. t effects or critical h kicological charac	ASPIRATION . Ingestion. nazards. nazards. teristics	I HAZARD - Category 1	
Butene, homopolymer (products der nformation on the likely outes of exposure Potential acute health effect Eye contact Inhalation Skin contact Ingestion Symptoms related to the physical Ingestion	 Dermal contact. Eye Causes serious eye No known significan Causes skin irritation No known significan No known significan ysical, chemical and tox Adverse symptoms in pain or irritation watering 	contact. Inhalation irritation. t effects or critical h n. t effects or critical h kicological charac	ASPIRATION . Ingestion. nazards. nazards. teristics	I HAZARD - Category 1	
Butene, homopolymer (products der nformation on the likely outes of exposure Potential acute health effect Eye contact Inhalation Skin contact Ingestion Symptoms related to the physical Ingestion	 Dermal contact. Eye Causes serious eye No known significan Causes skin irritation No known significan No known significan Adverse symptoms in pain or irritation 	irritation. t effects or critical h n. t effects or critical h dicological charac may include the foll	ASPIRATION . Ingestion. nazards. nazards. <u>teristics</u> owing:	I HAZARD - Category 1	
Butene, homopolymer (products der information on the likely outes of exposure Potential acute health effect Eye contact Inhalation Skin contact Ingestion Symptoms related to the phy Eye contact	 Dermal contact. Eye Causes serious eye No known significan Causes skin irritation No known significan No known significan ysical, chemical and tox Adverse symptoms r pain or irritation watering redness No known significan 	contact. Inhalation irritation. t effects or critical h n. t effects or critical h <u>kicological charac</u> may include the foll	ASPIRATION . Ingestion. nazards. nazards. teristics owing:	I HAZARD - Category 1	
Butene, homopolymer (products der nformation on the likely outes of exposure Potential acute health effect Eye contact Inhalation Skin contact Ingestion Symptoms related to the phy Eye contact Inhalation	 Dermal contact. Eye Causes serious eye No known significan Causes skin irritation No known significan No known significan ysical, chemical and tox Adverse symptoms in pain or irritation watering redness No known significan Adverse symptoms in ritation 	contact. Inhalation irritation. t effects or critical h n. t effects or critical h <u>kicological charac</u> may include the foll	ASPIRATION . Ingestion. nazards. nazards. teristics owing:	I HAZARD - Category 1	
Butene, homopolymer (products der nformation on the likely outes of exposure Potential acute health effect Eye contact Inhalation Skin contact Ingestion Symptoms related to the phy Eye contact Inhalation	 Dermal contact. Eye Causes serious eye No known significan Causes skin irritation No known significan No known significan ysical, chemical and tox Adverse symptoms in pain or irritation watering redness No known significan No known significan 	contact. Inhalation irritation. t effects or critical h t effects or critical h <u>kicological charac</u> may include the foll t effects or critical h may include the foll	ASPIRATION . Ingestion. hazards. hazards. teristics owing: hazards. owing:	I HAZARD - Category 1	

SAVE UP TO 25%

High Viscosity Lithium Complex Synthetic Grease

Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
Long term exposure	
Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
Potential chronic health effe	<u>ects</u>
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

There is no data available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
	Acute EC50 1 to 5 mg/L Acute EC50 1 to 1.5 mg/L Chronic LC50 1 to 5 mg/L	5.	96 hours 48 hours 96 hours

Persistence and degradability

There is no data available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)	7.6 to 7.8	314 to 1882	high
Mobility in soil Soil/water partition coefficient (K _{oc})	: There is no data available.		
Other adverse effects	: No known significant effects	or critical hazards.	

8/11

SAVE UP TO 25%

High Viscosity Lithium Complex Synthetic Grease

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT	TDG	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-		-
Transport hazard class(es)	-	-	-	-
Packing group	-	-		-
Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

AERG : Not applicable

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

SAVE UP TO 25%

High Viscosity Lithium Complex Synthetic Grease

Section 15. Regulatory information

.S. Federal regulations	: United	d States inv	entory (TSC	A 8b): All cor	nponents are	isted or exemp	ted.
	Clean salts	Water Act (CWA) 307 :	Phosphorodit	hioic acid, O,C)-di-C1-14-alkyl	esters, zinc
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not lis	ted					
Clean Air Act Section 602 Class I Substances	: Not lis	ted					
Clean Air Act Section 602 Class II Substances	: Not lis	ted					
DEA List I Chemicals (Precursor Chemicals)	: Not lis	ted					
DEA List I Chemicals (Precursor Chemicals)	: Not lis	ted					
<u>SARA 302/304</u>							
Composition/information	on ingredi	<u>ents</u>					
No products were found.							
SARA 304 RQ	: Not ap	plicable.					
<u>SARA 311/312</u>							
Classification	: Immed	diate (acute)	health haza	rd			
Composition/information	on ingredi	<u>ents</u>					
Name		%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Butene, homopolymer (products de either/or But-1-ene/But-2-ene)	erived from	30 - 60	No.	No.	No.	Yes.	No.

SARA 313

esters, zinc salts

Phosphorodithioic acid, O,O-di-C1-14-alkyl

	Product name	CAS number	%
Form R - Reporting requirements	Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	68649-42-3	1 - 5
Supplier notification	Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	68649-42-3	1 - 5

No.

No.

Yes.

No.

No.

1 - 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts	: None of the components are listed.	
New York	: None of the components are listed.	
New Jersey	: The following components are listed: Distillates (petroleum), hydrotreated h paraffinic; Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	ieavy

SAVE UP TO 25%

High Viscosity Lithium Complex Synthetic Grease

Pennsylvania

: The following components are listed: Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts

California Prop. 65

No products were found.

Canada

Canadian lists

- Canadian NPRI
- : The following components are listed: Zinc Alkyldithiophosphate
- **CEPA Toxic substances**
- : None of the components are listed.

Section 16. Other information

History

Date of issue mm/dd/yyyy	: 08/15/2015
Date of previous issue	: 03/15/2014
Version	: 4
Prepared by	: AMSOIL INC.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

11/11

: 08/15/2015

Date of issue